



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/421,806	10/20/1999	MARCUS WAGNER	1434P/BC9990	4629	
75	90 . 05/29/2003				
JOSEPH A SAWYER JR			EXAMINER .		
P O BOX 51418			JUNTIMA, NITTAYA		
PALO ALTO, (	CA 94303		JONTIMA, NITTATA		
			ART UNIT	PAPER NUMBER	
•			2663	41	
			DATE MAILED: 05/29/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	plicant(s)				
4	•	09/421,806					
Office Action Summary		Examiner	Art Unit	WAGNER, MARCUS			
			2663	(0)			
	The MAILING DATE of this communication ap	Nittaya Juntima pears on the cover					
Period fo		•	•				
THE I - Exter after - If the - If NO - Failu - Any r	ORTENED STATUTORY PERIOD FOR REPI MAILING DATE OF THIS COMMUNICATION sions of time may be available under the provisions of 37 CFR 1 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a re period for reply is specified above, the maximum statutory period re to reply within the set or extended period for reply will, by statu eply received by the Office later than three months after the maili ad patent term adjustment. See 37 CFR 1.704(b).	.136(a). In no event, howe ply within the statutory min d will apply and will expire to te, cause the application to	ver, may a reply be timely filed imum of thirty (30) days will be considere SIX (6) MONTHS from the mailing date of become ABANDONED (35 U.S.C. § 13	this communication.			
1)⊠	Responsive to communication(s) filed on 3/1	<u>13/2003</u> .					
2a)⊠	This action is <b>FINAL</b> . 2b) T	his action is non-fi	nal.				
3)  Dispositi	Since this application is in condition for allow closed in accordance with the practice unde on of Claims	•	· •				
·	Claim(s) <u>1-43</u> is/are pending in the application	nn					
•	4a) Of the above claim(s) is/are withdra		ation				
	5) Claim(s) <u>8-13,16 and 26-31</u> is/are allowed.						
	Claim(s) 1-7, 14-15, 17-25, 32-33, and 35-43	is/are rejected					
•	Claim(s) is/are objected to.	iorare rejected.					
	Claim(s) are subject to restriction and/	or election require	ment				
,	on Papers	or election requires	nont.				
9) 🗆 '	The specification is objected to by the Examin	er.					
10)	The drawing(s) filed on is/are: a)☐ acc	epted or b) objecto	ed to by the Examiner.				
, —	Applicant may not request that any objection to t			5(a).			
11)[ ]	The proposed drawing correction filed on 13 M	<u>//arch 2003</u> is: a)⊠	approved b) disapproved	by the Examiner.			
	If approved, corrected drawings are required in r	eply to this Office act	ion.				
12) 🔲 .	The oath or declaration is objected to by the E	xaminer.					
Priority u	ınder 35 U.S.C. §§ 119 and 120						
13)	Acknowledgment is made of a claim for foreig	gn priority under 35	U.S.C. § 119(a)-(d) or (f).				
a)[	☐ All b)☐ Some * c)☐ None of:						
	1. Certified copies of the priority documer	nts have been rece	ived.				
	2. Certified copies of the priority documents have been received in Application No						
<b>*</b> 5	3. Copies of the certified copies of the pri- application from the International B see the attached detailed Office action for a lis	ureau (PCT Rule 1	7.2(a)).	onal Stage			
	acknowledgment is made of a claim for domes			ional application).			
	)  The translation of the foreign language particles  Acknowledgment is made of a claim for domes						
Attachmen			•				
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s)	5) 🔲	Interview Summary (PTO-413) Pap Notice of Informal Patent Application Other:				
S. Patent and To TO-326 (Re		Action Summary	Part of Paper	No. 4			

Art Unit: 2663

### **DETAILED ACTION**

This action is in response to the amendment filed on March 13, 2003.

- 1. The objections to drawings and specification are withdrawn in view of applicant's amendment.
- 2. Claims 8-13, 16, 26-31, and 34 are allowed.
- 3. Claims 1, 4, 17-19, 22, and 35-42 are rejected under 35 U.S.C. 102 (b).
- 4. Claims 2-3, 5-7, 14-15, 20-21, 23-25, 32-33, and 43 are rejected under 35 U.S.C. 103 (a).

## Claim Objections

- 5. Claims 8, 10, 16, 26, 28, 34, and 43 are objected to because of the following informalities:
- in claim 8, lines 6 and 14, the words "LVS" and "GSF" should be spelled out to avoid possible confusion over their meanings, and

line 24, "transmissions" should be changed to "transmission;"

- in claim 10, line 4, "transmissions" should be changed to "transmission," and line 10, "the" should be changed to "a;"
- in claim 16, line 4, "transmissions" should be changed to "transmission,"

line 8, the word "GSF" should be spelled out to avoid possible confusion over its meaning, and

line 17, "d3" should be changed to "c3;"

- in claim 26, lines 7 and 15, the words "LVS" and "GSF" should be spelled out to

Art Unit: 2663

avoid possible confusion over their meanings;

- in claim 28, line 11, "the" should be changed to "a;"
- in claim 34, line 9, the word "GSF" should be spelled out to avoid possible confusion over its meaning, and

line 18, "d3" should be changed to "c3;"

- in claim 43, line 5, "allocation" should be changed to "allocating," and

line 6, "an" should be changed to "the" and "may be allocated" should be added after "bandwidth" to make the claim clearer.

Appropriate correction is required.

## Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claim 1, 4, 17-19, 22, and 35-42 are rejected under 35 U.S.C. 102(b) as being anticipated by Natarajan (USPN 5,742,594).

Per claims 1, 39, and 41, Natarajan teaches a method for media delivery in a network, comprising the steps of:

- determining an available bandwidth (N(k+1)) for completion of a file transmission (d(i,k+1) is a bandwidth, i.e. time slots, needed by each user i to complete his/her non-real time traffic which may include a file transmission as known in the art, see also col. 4, lines 1-27) for a

Art Unit: 2663

time interval (a time interval is not defined, therefore, reads on a number of time slots in a transmission frame k+1, T(k+1), see also Fig. 2 and col. 3, lines 14-37) (N(k+1) is a total bandwidth, i.e. time slots, available in frame k+1 for non-real time traffic classes and can be determined by using eq. N(k+1) = T(k+1)-R(k+1)-C(k+1)-V(k+1), col. 3, lines 42-67 – col. 4, lines 28-34); and

- (claim 1 only) allocating at least a portion of the available bandwidth (N(k+1)) to complete at least one file transmission task, wherein each of the at least one file transmission task may be allocated a different amount of the available bandwidth (it is inherent that a different amount of the available bandwidth, N(k+1), will be proportionally allocated to each of the non-real time users for his/her at least one file transmission task according to each user's demand and the size of N(k+1) and as a size of the at least one file transmission is not identified, therefore, the at least one file transmission task of each user can be completely transmitted using the allocated bandwidth if its bandwidth is less or equal to the allocated bandwidth and each of the at least one file transmission task of each user may be allocated a different amount of the available bandwidth, col. 4, lines 9-16 and see also col. 3, lines 16-26);

-(claim 39 only) allocating at least a portion of the available bandwidth to complete at least one file transmission task, wherein each of the at least one file transmission task may be allocated a different amount of the available bandwidth (it is inherent that different amount of the available bandwidth, N(k+1), will be proportionally allocated to each of the non-real time users for his/her at least one file transmission task according to each user's demand and the size of N(k+1) and since a size of the at least one file transmission is not identified, therefore, the at least one file transmission task of each user can be completely transmitted using the allocated

Art Unit: 2663

bandwidth if its bandwidth is less or equal to the allocated bandwidth and each of the at least one file transmission task of each user may be allocated different amount of the available bandwidth, col. 4, lines 9-16 and see also col. 3, lines 16-26), wherein the at least one file transmission task for each time interval is scheduled back-to-back (any remaining time slots, i.e. bandwidth, of the total time slots requested by each user that were not processed in the preceding frame is scheduled for process in the following frame, col. 6, lines 11-19 and 31-42);

- (claim 41 only) allocating at least a portion of the available bandwidth to complete at least one file transmission task, wherein each of the at least one file transmission task may be allocated a different amount of the available bandwidth (it is inherent that a different amount of the available bandwidth, N(k+1), will be proportionally allocated to each of the non-real time users for his/her at least one file transmission task according to each user's demand and the size of N(k+1) and since a size of the at least one file transmission is not identified, therefore, the at least one file transmission task of each user can be completely transmitted using the allocated bandwidth if its bandwidth is less or equal to the allocated bandwidth and each of the at least one file transmission task of each user may be allocated different amount of the available bandwidth, col. 4, lines 9-16 and see also col. 3, lines 16-26), wherein the allocated available bandwidth varies as a polynomial in time (since the requested amount of bandwidth of each user as a function of time is known throughout the time interval the request spans, therefore, the allocated bandwidth for each user can inherently vary as a polynomial in time, col. 6, lines 11-19).

Per claim 4, Natarajan further teaches updating a total available bandwidth (N(k+1)) for the time interval and checking for the available bandwidth for completion of the file transmission for the time interval (updating N(k+1)) and checking for available bandwidth in

Art Unit: 2663

step 2 which is to be used to complete the non-real time traffic, i.e. file transmission, for frame k+1, col. 4, lines 28-34, and see also col. 4, lines 35-38).

Per claim 37, Natarajan teaches a method for media delivery in a network, comprising the steps of:

- initializing a GSF (T(k)), wherein the GSF represents a total maximum bandwidth available in the network (ATM/B-ISDN network, Fig. 1, col. 2, lines 60-67-col. 3, lines 1-13) in a time interval (a time interval is not defined, therefore, reads on a total number of time slots in frame k, see also Fig. 2 and col. 3, lines 14-37) for completion of a file transmission (non-real time traffic submitted by user i, col. 4, lines 9-3) (col. 3, lines 42-45 and col. 4, line 6);
- updating the GSF (N(k+1)) based upon bandwidth requirements for a plurality of LVS jobs (C (k+1) and V(k+1)) for a time interval (a time interval is not defined, therefore, reads on a total time slots in frame k+1, T(k+1), subtracted by time slots required for video streams is updated and set to N(k+1), col. 4, lines 28-34, and see also col. 3, lines 2-3);
- determining a size of at least one file transmission task (Alloc (i,k)) which can be completely transmitted during the time interval based upon the updated GSF (it is inherent that a size of the time slots which yields a size of at least one file transmission task to be allocated to each non-real time user i in frame k+1 to meet his/her demand, d(i,k+1), can be determined through a simple modification of eq. Alloc (i,k), i.e. Alloc (i,k+1)= lesser of (integer part of [f(i,k+1) \* N(k+1)], d(i,k+1)), col. 4, lines 16-25, and see also col. 3, lines 26-34); and
- allocating at least a portion of the updated GSF (N(k+1)) to complete the at least one file transmission task based upon the size and an allocation strategy (a predetermined allocation scheme based on priority, col. 5, lines 43 col. 6, lines 1-54), wherein each of the at

Art Unit: 2663

least one transmission task may be allocated a different amount of bandwidth (it is inherent that a different amount of the updated bandwidth, N(k+1), will be proportionally allocated to each of the non-real time users for his/her at least one file transmission task according to each user's demand and the size of N(k+1) and as a size of the at least one file transmission is not identified, therefore, the at least one file transmission task of each user can be completely transmitted using the allocated bandwidth if its bandwidth is less or equal to the allocated bandwidth and each of the at least one file transmission task of each user may be allocated different amount of the available bandwidth, col. 4, lines 9-16, and see also col. 3, lines 16-26).

Per claims 19, 22, 35-36, 38, 40, and 42, see previous office action.

## Claim Rejections - 35 USC § 103

- 7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 2-3 and 20-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Natarajan (USPN 5,742,594) in view of Jamoussi et al. (USPN 6,128,280).

Per claim 2, Natarajan teaches *initializing a global step function* (GSF) (as known in the art that each frame in the network has the same number of time slots, therefore, T(k+1) which represents a total maximum bandwidth in frame k+1 (the time interval) is inherently initialized through T(k), col. 3, lines 42-45 and col. 4, line 6) and *subtracting from the GSF bandwidth* requirements for a plurality of on-going LVS jobs (requests from frame k) and LVS jobs

Art Unit: 2663

planned (new requests) from a time of initialization to a maximum transmission duration (col. 4, lines 28-38).

However, Natarajan fails to teach obtaining system configuration parameters from a database tables.

Jamoussi et al. teaches *obtaining system configuration parameters* (control processor and the IMAFP processor accessing the pool and system parameters) from a database tables (Figs. 2 and 3) (col. 3, lines 35-45).

Given the teaching of Jamoussi et al., it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate obtaining parameters from the database tables into the method of Natarajan as the database tables provide simple and systematic information storage and retrieval process for the parameters.

Per claims 3 and 20-21, see previous office action.

Claims 5-7 and 23-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Natarajan (USPN 5,742,594) in view of Jamoussi et al. (USPN 6,128,280).

Per claims 5 and 6, see previous office action.

Per claim 7, Natarajan teaches subtracting from a GSF (T(k+1)) the bandwidth requirements for the LVS jobs (T(k+1)) which represents a total maximum time slots (bandwidth) available in the network in frame k+1 (time interval) for completion of each user i's non-real time traffic (the file transmission) is subtracted by time slots required for video streams and set to N(k+1), col. 4, lines 28-38, and see also col. 3, lines 2-3).

Per claims 23-25, see previous office action.

Art Unit: 2663

Claims 14-15, 32-33, and 43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Natarajan (USPN 5,742,594) in view of Caldara et al. (USPN 5,748,629).

Per claim 14, Natarajan does not teach freeing any allocated available bandwidth unused by a complete transmission of the at least one file transmission task.

However, Caldara et al. teaches freeing (made available) any allocated available bandwidth unused (allocated, unused) by a complete transmission of the at least one file transmission task (col. 7, lines 10-18).

Given the teaching of Caldara et al., it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the step of freeing up available any allocated unused bandwidth into the method of Natarajan to achieve high bandwidth utilization in the network which, in turn, will enable it to provide low-cost and highly efficient integrated services as taught by Caldara et al. (col. 1, lines 51-61).

Per claim 15, Natarajan teaches *updating a GSF* (T(k+1) which represents a total maximum time slots (bandwidth) available in the network in frame k+1 (time interval) for completion of each user i's non-real time traffic (the file transmission) is updated by subtracting time slots required for video streams and set to N(k+1), col. 4, lines 28-38, and see also col. 3, lines 2-3).

Caldara et al. teaches constructing a payback strip (unused allocated bandwidth) from the portion of the available bandwidth allocated to the at least one file transmission task (col. 7, lines 10-18), adding the payback strip to the GSF (any allocated unused bandwidth is added to the dynamic bandwidth, col. 7, lines 10-18), and recording an available bandwidth

Art Unit: 2663

remaining after the adding step in a plurality of database tables (Dynamic Bandwidth Lists) (col. 7, lines 27-44).

Per claims 32 and 33, see previous office action.

Per claim 43, Natarajan teaches a system, comprising:

- a server (a microcomputer), comprising a manager (an allocation routine) for file transmissions via a satellite transponder (a wireless communications link interface, Fig. 1, col. 2, lines 7-19 and 64 - col. 3, lines 1-4), wherein the manager comprises a bandwidth allocation scheduler (a scheduler), the bandwidth allocation scheduler capable of determining an available bandwidth (N(k+1)) for completion of a file transmission (d(i,k+1)) is a bandwidth, i.e. time slots, needed by each user i to complete his/her non-real time traffic which may include a file transmission as known in the art) for a time interval (a time interval is not defined, therefore, reads on a number of time slots in a transmission frame k+1, T(k+1), Fig. 2 and col. 3, lines 14-37) (N(k+1) is a total bandwidth, i.e. time slots, available in frame k+1 for non-real time traffic and can be determined by using eq. N(k+1) = T(k+1)-R(k+1)-C(k+1)-V(k+1), col. 3, lines 42-67 – col. 4, lines 1-34), and allocating at least a portion of the available bandwidth to complete at least one file transmission task, wherein a different amount of the available bandwidth may be allocated to each of a plurality of file transmission tasks (it is inherent that a different amount of the available bandwidth, N(k+1), will be proportionally allocated to each of the non-real time users for his/her at least one file transmission task according to each user's demand and the size of N(k+1) and as a size of the at least one file transmission is not identified, therefore, the at least one file transmission task of each user can be completely transmitted using the allocated bandwidth if its bandwidth is less or equal to the allocated bandwidth and each of

Art Unit: 2663

the at least one file transmission task of each user may be allocated different amount of the available bandwidth, col. 4, lines 9-16 and see also col. 3, lines 16-26, and col. 5, lines 43-61).

However, Natarajan does not teach a database table.

Caldara et al. teaches a database table (a Switch Allocation Table) comprising information required by the manager for file transmissions (col. 6, lines 18-21).

Given the teaching of Caldara et al., it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate a database table into the system of Natarajan to manage the allocated bandwidth as taught by Caldara et al. (col. 6, lines 18-21).

## Response to Arguments

- 8. Applicant's arguments with respect to claims 1-7, 14-15, 17-25, 32-33, 35-36, and 37-43 have been considered but they are not persuasive.
- In the remarks, the applicant argues that the time interval in accordance with the present a) invention is the time for the completion of a file transmission, not slots in a frame. In Natarajan, to complete a file transmission, many slots in many frames would be required. Thus, Natarajan teaches allocation based upon control over slots in the frame, while the present invention recites allocation based upon a time for completion of a file transmission. In fact, the total number of slots required to complete a file transmission in Natarajan is not known at the time of the slot allocations, thus, allocation based upon a time for completion of the file transmission is not possible.

In response, a time interval is not defined in the independent claims 1,19, and 37-42, therefore, it reads on a number of time slots in a frame, for example, a frame has 50 time slots where each time slots is 1 ms long, therefore, this frame occupies a time interval of 50 ms long

Art Unit: 2663

(see also Fig. 2 and col. 3, lines 14-37). Natarajan teaches an allocation routine that allocates certain amount of time slots in a frame to the users' non-real time traffic classes. Each user submits the required bandwidth for his/her non-real time applications which may include at least one file transmission as known in the art (col. 1, lines 25-30), and the required bandwidth of each user is converted into the required time slots where each time slot is capable of carrying a quantity of information. The total time slots allocated for non-real time traffic classes in a frame are then shared among the users proportionally to their required time slots. Further, even though the exact size of a file transmission is not known, it is inherent that the size of a file transmission of a particular non-real time user must be no greater than the required bandwidth (for example, d(i,k) for frame k) submitted by the user. Therefore, the file can be completely transmitted in a time interval using the time slots allocated to the user (for example, Alloc (i,k) for frame k) by the allocation routine of Natarajan (in a case where Alloc(i,k) = d(i,k) for frame k, see col. 3, lines 38-67-col. 4, lines 1-38) and Natarakan teaches the claimed limitations as cited in independent claims 1, 19, and 37-42. It is noted that the features upon which applicant relies, i.e. the time interval in accordance with the present invention is the time for the completions of a file transmission, are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims.

b) In the remarks, the applicant argues that in addition, per amended independent claims 37 and 38, applicants respectfully disagrees with the examiner that T(k) in Natarajan is analogous to the global step function (GSF) in accordance with the present invention. The recited GSF represent a total maximum bandwidth available in the network in a time interval for completion

Art Unit: 2663

of a file transmission. In contrast, T(k) in Natarajan represents the total number of slots in a frame and does not address a total maximum bandwidth as claimed.

In response, again, a time interval in independent claims 37 and 38 is not defined, therefore, it reads on a number of time slots in a frame where each time slot has a bandwidth that can carry a quantity of information as known in the art (see also Fig. 2 and col. 3, lines 14-37). T(k) in Natarajan is defined as total number of slots in Frame k (col. 3, lines 43), and therefore is a total maximum bandwidth available in the ATM/B-ISDN network (Fig. 1, col. 2, lines 60-67-col. 3, lines 1-13) in a time interval (time slots of Frame k) for completion of a file transmission (required by the non-real time user i, see col. col. 3, lines 38-67-col. 4, lines 1-38).

c) In remarks, the applicant argues that with regards to dependent claims 2-3, 5-7, 20-21, and 23-25, applicant's arguments concerning Natarajan as applied to claims 1 and 19 apply here with equal force. Thus, even if Jamoussi teaches the limitations as argued by the examiner, Natarajan in view of Jamoussi still does not teach or suggest the claimed limitations as recited in the combination of claims 1 with 2-3 and with 5-7, and 19 with 20-21 and with 23-25 of the present invention.

In response, Natarajan teaches the claimed limitations of independent claims 1 and 19 as explained in the response of part a). Further, the applicant failed to argue that Jamoussi does not teach the limitations as argued by the examiner in the previous action and to point out the error in the motivation in the rejection. Therefore, the rejection is maintained.

d) In remarks, the applicant also argues that with regards to dependent claims 14-15, and 32-33, applicant's arguments concerning Natarajan as applied to claims 1 and 19 apply here with equal force. Thus, even if Caldara teaches the limitations as argued by the examiner, Natarajan

Art Unit: 2663

in view of Caldara still does not teach or suggest the claimed limitations as recited in the combination of claims 1 with 14-15, and 19 with 32-33 of the present invention.

In response, Natarajan teaches the claimed limitations of independent claims 1 and 19 as explained in the response of part a). Further, the applicant failed to argue that Caldara does not teach the limitations as argued by the examiner in the previous action and to point out the error in the motivation in the rejection. Therefore, the rejection is maintained.

e) In remarks, the applicant further argues that amended independent claim 43 is allowable for at least the reasons set forth in applicant's arguments concerning Natarajan as applied to claims 1 and 19 above. Thus, even if Caldara teaches the limitations as argued by the examiner, Natarajan in view of Caldara still does not teach or suggest the claimed limitations as recited in the amended independent claim 43 of the present invention.

In response, Natarajan teaches the claimed limitations as recited in independent claims 1 and 19 as explained in the response of part a) which are now part of the amended claim 43. Further, the applicant failed to argue that Caldara does not teach the limitations as argued by the examiner in the previous action and to point out the error in the motivation in the rejection.

Therefore, the rejection is maintained.

#### Conclusion

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2663

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nittaya Juntima whose telephone number is 703-306-4821. The examiner can normally be reached on Monday through Friday, 8:00 A.M - 5:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chau Nguyen can be reached on 703-308-5340. The fax phone numbers for the organization where this application or proceeding is assigned are 703-746-9408 for regular communications and 703-827-9314 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3900.

Nittaya Juntima May 21, 2003

V

CHAU NGUYEN

TECHNOLOGY CENTER 2600

Chave T. Nfugar